



# 86" Ultra HD 4K x 2K Professional LED Backlit LCD Display

## Model: CID-IM-86



### INTRODUCTION

86-inch professional display adopts DLED full-array backlight panel, with more delicate image quality and clearer definition. Its super-large screen has 4K x 2K Ultra HD resolution and 1200:1 HD contrast ratio, which can restore the original color effect.


28mm for the ultra-narrow aluminum frame makes the appearance more simple and elegant. Professional industry LED panel can realize energy saving and longer life. Easy installation and flexible application can be achieved by the built-in OPS function.

### FEATURES

- Single display applications of large sizes, 43", 55", 65", 75", 86", 98";
- Professional grade LCD displays with LED backlit with lifespan 100,000hr;
- Aluminum frame with narrow bezel 28mm & bezel colors customized available;
- Designed for 24/7 usage;
- FHD 1920x1080 & Ultra HD 3840x2160 display resolution makes perfect and vivid picture;
- PC expansion slots, easy to input/output the audio video signal;
- With the smart power energy saving function, the stand-by power consumption can be 0.5W.



## DIAGRAM



## APPLICATION



**SPECIFICATIONS**

<b>Model</b>	<b>CID-IM-86</b>
<b>Size (inch)</b>	<b>86"</b>
<b>Backlight</b>	<b>DLED</b>
<b>NetWeight</b>	<b>34KG</b>
<b>Contrast Ratio</b>	<b>1200:1</b>
<b>Response time</b>	<b>8ms</b>
<b>Viewing Angle</b>	<b>178°/178°</b>
<b>Power Consumption</b>	<b>&lt;440W</b>
<b>Brightness (cd/ m<sup>2</sup>)</b>	<b>400</b>
<b>Resolution</b>	<b>4K@60Hz</b>
<b>Bilateral Border</b>	<b>1.07B</b>
<b>Signal input</b>	<b>HDMI / DVI / VGA / AV / RS232 / Y/Pb/Pr / DP / LAN / OPS / USB2.0 / USB3.0</b>
<b>Aspect Ratio</b>	<b>16:9</b>
<b>Power Supply</b>	<b>100-240VAC, 50/60 Hz</b>
<b>Control method</b>	<b>RS232/RJ45,IR</b>