



# 98" Ultra HD 4K x 2K Professional LED Backlit LCD Display

## Model: CID-IM-98



### INTRODUCTION

98-inch professional display adopts LED full-array backlight panel, with more delicate image quality and clearer definition. Its super- large screen has 4K x 2K Ultra HD resolution and 1300:1 HD contrast ratio, which can restore the original color effect.


28mm for the ultra-narrow aluminum frame makes the appearance more simple and elegant. Professional industry LED panel and longer life. Easy installation and flexible application can be achieved by the optional built-in OPS can realize energy saving function.

### FEATURES

- Single display applications of large sizes, 43", 55", 65",75",86",98";
- Professional grade LCD displays with LED backlit with lifespan 100,000hr;
- Aluminum frame with narrow bezel 28mm & bezel colors customized available;
- Designed for 24/7 usage;
- FHD 1920x1080 & Ultra HD 3840x2160 display resolution makes perfect and vivid picture;
- PC expansion slots, easy to input/output the audio video signal;
- With the smart power energy saving function, the stand-by power consumption can be 0.5W.



## DIAGRAM



## APPLICATION





## SPECIFICATIONS

<b>Model</b>	<b>CID-IM-98</b>
<b>Size (inch)</b>	<b>98"</b>
<b>Backlight</b>	<b>DLED</b>
<b>NetWeight</b>	<b>39KG</b>
<b>Contrast Ratio</b>	<b>1300:1</b>
<b>Response time</b>	<b>5ms</b>
<b>Viewing Angle</b>	<b>178°/178°</b>
<b>Power Consumption</b>	<b>&lt;480W</b>
<b>Brightness (cd/ m<sup>2</sup>)</b>	<b>500</b>
<b>Resolution</b>	<b>4K@60Hz</b>
<b>Bilateral Border</b>	<b>1.06B</b>
<b>Signal input</b>	<b>HDMI / DVI / VGA / AV / RS232 / Y/Pb/Pr / DP / LAN / OPS / USB2.0 / USB3.0</b>
<b>Aspect Ratio</b>	<b>16:9</b>
<b>Power Supply</b>	<b>100-240VAC, 50/60 Hz</b>
<b>Control method</b>	<b>RS232/RJ45,IR</b>